

SECTION 1: Product identifier

1.1. GHS Product identifier

Product form : Mixture
Trade name : SILVER PLUS REGULAR

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

No additional information available

1.4. Details of manufacturer or importer

Manufacturer

Whitmore Manufacturing LLC
930 Whitmore Drive
Rockwall, Texas 75087
USA
T 1.972.771.1000
Regulatory@whitmores.com - www.jetlube.com

Distributor

XTEX
Unit 5, 309 Victoria Road
Malaga, W.A, 6090
Australia
1300-00-XTEX(9839)
sales@xtex.com.au xtex.com.au

1.5. Emergency phone number

Emergency number : For Chemical Emergency Call Ricardo Emergency Response 24hr/day 7days/week
Within USA and Canada: +1.215.207.0061
Outside USA and Canada: +44.1235.239670
(collect calls accepted)

Country/Area	Organisation/Company	Address	Emergency number	Comment
Australia	NSW Poisons Information Centre The Children's Hospital at Westmead	Locked Bag 4001 NSW 2145	13 11 26	
Australia	Ricardo-Australia		+61.2.8014.4558	
Australia	Ricardo-Australia		1800.074.234 (toll-free, Australia only)	

SECTION 2: Hazard identification

2.1. Classification of the hazardous chemical

Classification according to the model Work Health and Safety Regulations (WHS Regulations)

Germ cell mutagenicity, Category 1B H340
Carcinogenicity, Category 1B H350
Specific target organ toxicity – Repeated exposure, Category 2 H373

2.2. GHS Label elements, including precautionary statements

Hazard pictograms (GHS AU) :



Health hazard

Signal word (GHS AU) :

Danger

Contains :

Aluminum (10.0 - 15.0 %); naphtha (petroleum), hydrodesulfurized heavy (5.0 - 10.0 %)

Hazard statements (GHS AU) :

H340 - May cause genetic defects
H350 - May cause cancer
H373 - May cause damage to organs through prolonged or repeated exposure

Precautionary statements (GHS AU) :

P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.

SILVER PLUS REGULAR

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

P260 - Do not breathe dust/fume/gas/mist/vapours/spray.
P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P308+P313 - IF exposed or concerned: Get medical advice/attention.
P314 - Get medical advice/attention if you feel unwell.
P405 - Store locked up.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3: Composition and information on ingredients

Name	CAS-No.	%	Classification according to the model Work Health and Safety Regulations (WHS Regulations)
Aluminum	7429-90-5	10.0 - 15.0	Acute Tox. 3 (Inhalation:dust,mist), H331 STOT RE 2, H373 Aquatic Chronic 1, H410
naphtha (petroleum), hydrodesulfurized heavy	64742-82-1	5.0 - 10.0	Flam. Liq. 2, H225 Acute Tox. 4 (Inhalation:vapour), H332 Skin Irrit. 2, H315 Muta. 1B, H340 Carc. 1B, H350 STOT SE 3, H336 STOT RE 1, H372 Asp. Tox. 1, H304
Other substances (not contributing to the classification of this product)	-	Up to 100%	-

SECTION 4: First aid measures

4.1. Description of necessary first-aid measures

First-aid measures general : If exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact : Wash skin with plenty of water.
First-aid measures after eye contact : Rinse eyes with water as a precaution.
First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Symptoms caused by exposure

No additional information available

4.3. Medical attention and special treatment

Other medical advice or treatment : Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
Hazchem Code : 22

SILVER PLUS REGULAR

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Only qualified personnel equipped with suitable protective equipment may intervene. Do not breathe dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and materials for containment and cleaning up

Methods for cleaning up : Mechanically recover the product. Notify authorities if product enters sewers or public waters.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Wear personal protective equipment. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Do not breathe dust/fume/gas/mist/vapours/spray.

Hygiene measures : Separate working clothes from town clothes. Launder separately. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls and personal protection

8.1. Control parameters - exposure standards

Aluminum (7429-90-5)	
Australia - Occupational Exposure Limits	
Local name	Aluminium
OES TWA	10 mg/m ³ metal dust 5 mg/m ³ welding fumes (as Al) 2 mg/m ³ alkyls (NOC) (as Al) 5 mg/m ³ pyro powders (as Al) 2 mg/m ³ soluble salts (as Al)
Regulatory reference	Workplace exposure standards for airborne contaminants (2019)

8.2. Biological Monitoring

No additional information available

8.3. Engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

8.4. Individual protection measures, such as personal protective equipment (PPE)

Hand protection : Neoprene or nitrile rubber gloves

SILVER PLUS REGULAR

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR), Neoprene rubber (HNBR)	6 (> 480 minutes)	>0.6mm		

Eye protection : Wear eye protection
Skin and body protection : Wear protective clothing
Respiratory protection : No respiratory protection needed under normal use conditions
Environmental exposure controls : Avoid release to the environment.

SECTION 9: Physical and chemical properties

Physical state : Solid
Appearance : Paste.
Colour : Silver
Odour : petroleum-like odour
Odour threshold : No data available
pH : No data available
pH solution : No data available
Relative evaporation rate (butylacetate=1) : No data available
Melting point / Freezing point : Freezing point: Not applicable
Boiling point : No data available
Flash point : > 221 °C
Auto-ignition temperature : Not applicable
Flammability : No data available
Vapour pressure : No data available
Relative density : No data available
Density : No data available
Solubility : Insoluble in water.
Partition coefficient n-octanol/water (Log Pow) : No data available
Viscosity, kinematic : > 22 mm²/s
Explosive properties : No data available
Explosive limits : Not applicable
Minimum ignition energy : No data available
VOC content : < 0.1 %
Fat solubility : No data available

SECTION 10: Stability and reactivity

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reactions : No dangerous reactions known under normal conditions of use.
Conditions to avoid : None under recommended storage and handling conditions (see section 7).
Incompatible materials : No additional information available
Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Aluminum (7429-90-5)	
LD50 oral rat	> 15900 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LC50 Inhalation - Rat	> 0.888 mg/l air Animal: rat, Animal sex: male, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
LC50 Inhalation - Rat (Dust/Mist)	> 0.888 mg/l Source: ECHA
naphtha (petroleum), hydrosulfurized heavy (64742-82-1)	
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rabbit	> 3160 mg/kg (Rabbit, Literature study, Dermal)
LC50 Inhalation - Rat	> 12 mg/l (4 h, Rat, Literature study, Inhalation)
Skin corrosion/irritation	: Not classified

SILVER PLUS REGULAR

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: May cause genetic defects.
Carcinogenicity	: May cause cancer.
Reproductive toxicity	: Not classified

Aluminum (7429-90-5)	
NOAEL (animal/male, F0/P)	1000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)

STOT-single exposure : Not classified

naphtha (petroleum), hydrodesulfurized heavy (64742-82-1)	
STOT-single exposure	May cause drowsiness or dizziness.

STOT-repeated exposure : May cause damage to organs through prolonged or repeated exposure.

Aluminum (7429-90-5)	
LOAEC (inhalation, rat, dust/mist/fume, 90 days)	0.05 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.

naphtha (petroleum), hydrodesulfurized heavy (64742-82-1)	
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

SILVER PLUS REGULAR	
Viscosity, kinematic	> 22 mm²/s

Aluminum (7429-90-5)	
Viscosity, kinematic	Not applicable (solid)

naphtha (petroleum), hydrodesulfurized heavy (64742-82-1)	
Viscosity, kinematic	< 1 mm²/s Temp.: 'other:37.8°C' Parameter: 'kinematic viscosity (in mm²/s)'

SECTION 12: Ecological information

According to the National Code of Practice for the Preparation of Material Safety Data Sheets, Environmental classification information is not mandatory. Information relevant for GHS classification is available on request

12.1. Ecotoxicity

Ecology - general	: Toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute)	: Toxic to aquatic life
Hazardous to the aquatic environment, long-term (chronic)	: Toxic to aquatic life with long lasting effects

Aluminum (7429-90-5)	
LD50 oral rat	> 15900 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)

naphtha (petroleum), hydrodesulfurized heavy (64742-82-1)	
BCF - Other aquatic organisms [1]	10 – 2500 (BCFWIN, Calculated value)
Partition coefficient n-octanol/water (Log Pow)	2.1 – 6.4
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.783 – 2.36 (log Koc, PCKOCWIN v1.66, Calculated value)
LD50 dermal rabbit	> 3160 mg/kg (Rabbit, Literature study, Dermal)
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)

SILVER PLUS REGULAR

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

12.2. Persistence and degradability

SILVER PLUS REGULAR

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

Aluminum (7429-90-5)

Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

naphtha (petroleum), hydrodesulfurized heavy (64742-82-1)

Persistence and degradability	Readily biodegradable in water.
-------------------------------	---------------------------------

12.3. Bioaccumulative potential

naphtha (petroleum), hydrodesulfurized heavy (64742-82-1)

BCF - Other aquatic organisms [1]	10 – 2500 (BCFWIN, Calculated value)
Partition coefficient n-octanol/water (Log Pow)	2.1 – 6.4
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.783 – 2.36 (log Koc, PCKOCWIN v1.66, Calculated value)
Bioaccumulative potential	Bioaccumable.

12.4. Mobility in soil

Aluminum (7429-90-5)

Surface tension	900 mN/m (700 °C)
Ecology - soil	Adsorbs into the soil.

naphtha (petroleum), hydrodesulfurized heavy (64742-82-1)

Ecology - soil	Low potential for adsorption in soil.
Partition coefficient n-octanol/water (Log Pow)	2.1 – 6.4
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.783 – 2.36 (log Koc, PCKOCWIN v1.66, Calculated value)

12.5. Other adverse effects

Ozone	: Not classified
Other adverse effects	: No additional information available

SILVER PLUS REGULAR

Fluorinated greenhouse gases	False
------------------------------	-------

Aluminum (7429-90-5)

Fluorinated greenhouse gases	False
------------------------------	-------

naphtha (petroleum), hydrodesulfurized heavy (64742-82-1)

Fluorinated greenhouse gases	False
------------------------------	-------

SECTION 13: Disposal considerations

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
-------------------------	---




SECTION 14: Transport information

In accordance with ADG / IMDG / IATA

SILVER PLUS REGULAR

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

ADG	IMDG	IATA
14.1. UN number		
3077	3077	3077
14.2. UN Proper Shipping Name		
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS : Aluminum)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS : Aluminum)	Environmentally hazardous substance, solid, n.o.s. (CONTAINS : Aluminum)
Transport document description		
Not applicable	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS : Aluminum), 9, III, MARINE POLLUTANT	UN 3077 Environmentally hazardous substance, solid, n.o.s. (CONTAINS : Aluminum), 9, III
14.3. Transport hazard class(es)		
9	9	9
		
14.4. Packing group		
III - Substances presenting low danger	III	III
14.5. Environmental hazards		
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes

14.6. Special precautions for user

Specific storage requirement : No data available
Shock sensitivity : No data available

14.7. Additional information

Other information : No supplementary information available

Transport by road and rail

UN-No. (ADG) : 3077
Special provision (ADG) : 274, 331, 335, 375, AU01
Limited quantities (ADG) : 5kg
Excepted quantities (ADG) : E1
Packing instructions (ADG) : P002, IBC08, LP02
Special packing provisions (ADG) : PP12, B3
Portable tank and bulk container instructions (ADG) : T1, BK2, BK3
Portable tank and bulk container special provisions (ADG) : TP33

Transport by sea

UN-No. (IMDG) : 3077
Special provisions (IMDG) : 274, 335, 375, 966, 967, 969
Limited quantities (IMDG) : 5 kg
Excepted quantities (IMDG) : E1
Packing instructions (IMDG) : LP02, P002
Special packing provisions (IMDG) : PP12
IBC packing instructions (IMDG) : IBC08
IBC special provisions (IMDG) : B3
Tank instructions (IMDG) : BK1, BK2, BK3, T1
Tank special provisions (IMDG) : TP33
EmS-No. (Fire) : F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE
EmS-No. (Spillage) : S-F - SPILLAGE SCHEDULE Foxtrot - WATER-SOLUBLE MARINE POLLUTANTS
Stowage category (IMDG) : A
Stowage and handling (IMDG) : SW23

Air transport

UN-No. (IATA) : 3077
PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y956

SILVER PLUS REGULAR

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 956
PCA max net quantity (IATA) : 400kg
CAO packing instructions (IATA) : 956
CAO max net quantity (IATA) : 400kg
Special provisions (IATA) : A97, A158, A179, A197, A215
ERG code (IATA) : 9L

14.8. Hazchem or Emergency Action Code

Hazchem Code : 2Z

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations

Australian Industrial Chemicals Introduction Scheme (AICIS)

Australian Inventory of Industrial Chemicals (AICIS) : Contains substance(s) listed on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory) status Inventory)

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

No additional information available

Australian Pesticides and Veterinary Medicines Authority (APVMA)

No additional information available

15.2. International agreements

No additional information available

SECTION 16: Other information

Revision date : 15/08/2025

Classification	
Muta. 1B	H340
Carc. 1B	H350
STOT RE 2	H373

Full text of H-statements	
Acute Tox. 3 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 3
Acute Tox. 4 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 4
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Asp. Tox. 1	Aspiration hazard, Category 1
Carc. 1B	Carcinogenicity, Category 1B
Flam. Liq. 2	Flammable liquids, Category 2
Muta. 1B	Germ cell mutagenicity, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H331	Toxic if inhaled
H332	Harmful if inhaled
H336	May cause drowsiness or dizziness

SILVER PLUS REGULAR

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

Full text of H-statements	
H340	May cause genetic defects
H350	May cause cancer
H372	Causes damage to organs through prolonged or repeated exposure
H373	May cause damage to organs through prolonged or repeated exposure
H410	Very toxic to aquatic life with long lasting effects

Safety Data Sheet (SDS), Australia

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.